

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L18	23	(sql and statement\$1 and (section near5 (number\$1 or index\$3 or indices or id or identification\$1 ) ) ) and 707/200.ccls.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/10 12:45
L17	55	(sql and statement\$1 and (section near5 (number\$1 or index\$3 or indices or id or identification\$1 ) ) ) and 707/100.ccls.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/10 12:45
L16	0	(sql and statement\$1 and (section near5 (number\$1 or index\$3 or indices or id or identification\$1 ) ) ) and 707/200.clas.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/10 12:45
L15	0	(sql and statement\$1 and (section near5 (number\$1 or index\$3 or indices or id or identification\$1 ) ) ) and 707/100.clas.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/10 12:44
L14	4	(sql and statement\$1 and (section near5 (number\$1 or index\$3 or indices or id or identification\$1 ) ) ).clm.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/10 12:44
L13	743	(sql and statement\$1 and (section near5 (number\$1 or index\$3 or indices or id or identification\$1 ) ) )	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/10 12:44
L12	0	(sqlda with insert\$3 ) and "700".clas.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/10 12:44
L11	0	(sqlda with insert\$3 ).clm.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/10 12:44
L10	41	(host adj variable\$1).clm.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/10 12:43
L9	88	(parameter\$1 near2 binding).clm.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/10 12:43

L8	40	L1 and 707/100-104.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/10 12:42
L7	63	L4 and 707/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/10 12:42
L6	0	L1 and 707/000.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/10 12:42
L5	105	L4 and 707/100.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/10 12:41
L4	2068	L3 and @ad<"20030101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/10 12:41
L3	4272	(stored adj procedure\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/10 12:41
L2	12	L1 and 707/100.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/10 12:41
L1	2640	parameter\$1 near2 binding	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/10 12:41
S228	26	S227 and 707/100.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/10 10:10
S227	520	S226 and "707"/.clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/10 10:10
S226	1337	(query with geographic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/10 10:10

S225	2	"5875442".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 16:38
S224	2	"6567816".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 16:37
S223	2	"20020129035"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 16:35
S222	2	"6985904".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 16:34
S221	2	"6351742".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 16:32
S220	1	"5875334".pn. and fetch\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 15:26
S219	2	"5875334".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 15:26
S218	9	((sql near2 statement\$1) and (section adj (number\$1 or index\$3 or indices or id or identification\$1 ) ) ) and @riad<"20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 14:32
S217	10	((sql near5 statement\$1) and (section adj (number\$1 or index\$3 or indices or id or identification\$1 ) ) ) and @riad<"20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 14:32
S216	21	(sql and statement\$1 and (section adj (number\$1 or index\$3 or indices or id or identification\$1 ) ) ) and @riad<"20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 14:32
S215	11	S214 and 707/100.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 14:30

S214	300	(sql and statement\$1 and (section near5 (number\$1 or index\$3 or indices or id or identification\$1 ) ) ) and @riad<"20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 14:30
S213	0	S212 and (section adj number \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 14:30
S212	65	(host adj variable\$1) and @prad<"20030101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 14:30
S211	4	S210 and (section near3 number\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 14:28
S210	50	(host with variable\$1) and 707/100.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 14:28
S209	11	S208 and 707/100.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 14:27
S208	2511	parameter\$1 near2 binding	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/08 14:27
S207	2	"5875442".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 15:03
S206	2	"6567816".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 15:03
S205	2	"20020129035"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 12:50
S204	2	"6985904".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 12:50

S203	0	"20060112130" and (assign\$3 with activity with rule\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 12:22
S201	0	"20060112130" and (assign\$3 with activity with rule\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 11:12
S202	0	"20060112130" and (user with need with rule\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 11:11
S200	2	"20060112130" and (search \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 11:10
S199	8	"164477".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 11:09
S169	2	"6351742".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 11:09
S198	162	(structure\$1 near4 (section\$1 near2 number\$1)) and @riad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 18:16
S197	232	(structure\$1 near6 (section\$1 near2 number\$1)) and @riad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 18:16
S192	347	(structure\$1 near6 (section\$1 near3 number\$1)) and @riad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 18:16
S196	10	S192 and "707".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 18:15
S195	0	S192 and "707".ocls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 18:14

S194	7	((data near3 structure\$1) near6 (section\$1 near3 number\$1)) and @riad< "20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 18:12
S191	1127	(structure\$1 near6 (section\$1 near3 number\$1)) and @ad< "20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 18:11
S190	1127	(structure\$1 near6 (section\$1 near3 number\$1))and @ad< "20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 18:11
S186	55	(statement\$1 with (section\$1 near3 number\$1)) and @ad< "20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 18:10
S189	1	"20020129035" and (section\$ near3 number\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 18:09
S188	2	"20020129035"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 18:09
S187	10	S186 and sql	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 17:58
S185	24330935	(statement\$1 with (section\$1 near3 number\$1)) @ad< "20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 17:30
S184	24331037	(statement\$1 with section\$1 with number\$1) @ad< "20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 17:29
S183	1	"6985904".pn. and number	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 17:28
S182	0	"6985904".pn. and section\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 17:28

S181	2	"6985904".pn.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 17:28
S180	8	S176 and 707/100.cds.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 17:28
S176	256	(sql and statement\$1 and (section near5 (number\$1 or index\$3 or indices or id or identification\$1 ) ) and (compar\$3 or matching)) and @riad<"20030901"	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 17:14
S179	167	S177 and (section with (number\$1 or index\$3 or id\$1 or identification\$1))	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 17:10
S178	0	S177 and (statement with section with (number\$1 or index\$3 or id\$1 or identification\$1))	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 17:10
S177	167	(sql and statement\$1 and (section near5 (number\$1 or index\$3 or indices or id or identification\$1 ) ) and (compar\$3 or matching) and (optimiz\$5 )) and @riad<"20030901"	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 17:09
S175	279	(sql and statement\$1 and (section near5 (number\$1 or index\$3 or indices or id or identification\$1 ) ) and @riad<"20030901"	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 17:07
S147	4	"5875334".uref. and @prad<"20030901"	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 17:05
S174	5	"677159".ap.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 16:37
S173	8	"275896".ap.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 16:36

S172	8	"272691".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 16:27
S171	1	"20050071346" and (((section \$1 with number\$1) same (structure or statement)) or (section\$1 with number\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 16:09
S170	5	"676800".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 15:47
S168	3	"6401083".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 15:19
S163	534	(keyword or query) with (geographic adj location)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 15:16
S167	2	"20030163447"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 09:51
S1	1563429	computer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/06 09:51
S166	1	"20050071346" and (computer same readable same (medium or media))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 15:43
S165	2	"20050071346" and (carrier or wave\$1 or signal\$1 or (manufacture with article with program))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 15:43
S164	5	"676800".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/05 15:33
S162	16	S139 and 707/1-104.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:10



S161	65	S142 and 707/1-104.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:10
S160	62	S150 and 707/1-104.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:09
S159	65	S151 and 707/1-104.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:09
S158	0	(sql'da with insert\$3 ) and @prad< "20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:09
S157	1	(sql'da with insert\$3 ) and @riad< "20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:08
S156	1	(sql'da same insert\$3 ) and @prad< "20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:08
S155	7	(sql'da same insert\$3 ) and @riad< "20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:08
S154	5	sql'da and @prad< "20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:08
S153	12	sql'da and @riad< "20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:08
S116	10	(sql'da same insert\$3 ) and @ad< "20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:08
S115	2	(sql'da with insert\$3 ) and @ad< "20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:08

S107	32	sqlda and @ad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:08
S152	64	(host adj variable\$1) and @prad<"20030101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:07
S151	169	(host adj variable\$1) and @riad<"20030101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:07
S150	445	S148 and @prad<"20030101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:07
S149	1014	S148 and @riad<"20030101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:07
S148	3593	(stored adj procedure\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:07
S103	314	(host adj variable\$1) and @ad<"20030101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:07
S97	1809	S96 and @ad<"20030101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:07
S146	7	"5875334".uref. and @riad<"20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:06
S145	4	"5875334".uref. and @prad<"20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:06
S144	7	"5875334".uref. and @riad<"20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:06

S71	27	"5875334".uref. and @ad< "20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:06
S143	64	S141 and @prad< "20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:05
S142	173	S141 and @rlad< "20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:05
S141	507	host adj variable\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:05
S60	331	S59 and @ad< "20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:05
S140	483	S138 and @prad< "20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:04
S139	1291	S138 and @rlad< "20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:04
S138	2342	parameter\$1 near2 binding	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:04
S137	1	S135 and @prad< "20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:04
S136	5	S135 and @rlad< "20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:04
S135	13	search same (disable same override)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:04

S44	1432	S43 and @ad<"20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:04
S134	10	S132 and @prad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:03
S133	5	S132 and @rlad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:03
S132	23	"L16" and "707"/.clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:03
S131	10	S129 and @prad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:03
S130	64	S129 and @rlad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:03
S129	202	S128 and "707"/.clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:02
S128	514	(keyword or query) with (geographic adj location)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:02
S127	13	S125 and @prad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:02
S126	116	S125 and @rlad<"20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:02
S125	358	S124 and "707"/.clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:02

S124	982	(query with geographic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/23 17:02
S123	1	"20050071346" and (conversion\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/05 09:33
S122	5	"676800".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/05 09:32
S121	20	(host adj variable\$1) and 707/100.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/01 10:41
S120	2	"5875334".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/01 10:40
S99	435	host adj variable\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/01 10:40
S119	2	"6351742".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/01 08:20
S118	1	"5875334".pn. and insert\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/01 07:04
S117	0	"58753345".pn. and insert\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/01 06:44
S114	2	"5875334".pn. and optimiz\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 08:23
S113	0	"5875334".pn. and (stor\$3 with optimiz\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 08:23

S112	0	"5845334".pn. and optimiz\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 08:23
S111	0	"5845334".pn. and (stor\$3 with optimiz\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 08:23
S110	2	"20050071346" and (stor\$3 with bind?in)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 08:22
S109	2	"7092931".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/25 07:47
S108	21	S107 and optimiz\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/25 07:47
S106	0	(sql\$da with optimiz\$5) and @ad< "20030530"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/25 07:13
S104	2	"5875334".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/25 07:12
S105	5	"676800".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/25 06:09
S102	4	S100 and cursor\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 11:40
S100	29	S97 and ((stored adj procedure\$1)with handle )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 11:40
S101	0	S100 and (handle near3 cursor \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 11:39

S99	0	S97 and ((stored adj procedure\$1)with (handle near2 cursor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 11:39
S98	0	S97 and ((stored adj procedure\$1)with (handle near2 cursor\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 11:39
S96	2668	(stored adj procedure\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 11:38
S95	3	"676800".ap. and (handle or cursor or set or stored or procedure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 11:37
S78	2	"676800".ap. and (increment or pointer or length or location or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 11:26
S94	4	S93 and (calculat\$5 with location\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 11:08
S93	17	S82 and ((locate or locating or location or locations) with (communication adj buffer) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 11:07
S92	66	S82 and ((locate or locating or location or locations) with (communication near3 buffer) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 11:01
S91	66	S82 and ((locate or locating or location or locations) with (communication with buffer) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 11:01
S90	66	S82 and ((locate or locating or location or locations) with buffer )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 11:00
S89	0	S82 and ((locate or locating or location or locations) with (buffer near2 communication))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 11:00

S88	66	S82 and (locate or locating or location or locations)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 10:59
S87	66	S82 and (locat\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 10:56
S82	66	(location\$1 with (communication near2 buffer)) and @ad< "20020901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 10:55
S86	0	"176092".ap. and calcul\$7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 10:52
S85	0	"176092".ap. and calculate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 10:52
S84	0	"176092".ap. and calculat\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 10:52
S83	1	"176092".ap. and (communication or buffer or location)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 10:51
S81	71	(location\$1 with (communication near2 buffer)) and @ad< "20030901"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 10:46
S80	2	"6567816".pn. and (increment or pointer or length or location or buffer or offset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 10:45
S79	2	"6567816".pn. and (increment or pointer or length or location or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/10 10:19
S77	1	"6009271".pn. and (compile or bind or optimize or convert or converting or convert\$5 or generate\$5 or transform\$5 or translate\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 14:21



S76	1	"6199201".pn. and (compile or bind or optimize or convert or converting or convert\$5 or generate\$5 or transform\$5 or translate\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 14:20
S75	1	"6249783".pn. and (compile or bind or optimize or convert or converting or convert\$5 or generate\$5 or transform\$5 or translate\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 14:16
S74	2	"6567816".pn. and (compile or bind or optimize or convert or converting or convert\$5 or generate\$5 or transform\$5 or translate\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 14:14
S73	2	"6564354".pn. and (compile or bind or optimize or convert or converting or convert\$5 or generate\$5 or transform\$5 or translate\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 14:04
S72	1	"6985904".pn. and (compile or bind or optimize or convert or converting or convert\$5 or generate\$5 or transform\$5 or translate\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 14:02
S69	2	"5875334".pn. and (compile or bind or optimize or convert or converting or convert\$5 or generate\$5 or transform\$5 or translate\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 13:58
S70	27	"5875334".uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 12:51
S66	4	"915868".ap. and (compile or bind or optimize or convert or converting or convert\$5 or generate\$5 or transform\$5 or translate\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 12:50
S68	1	"6363371".pn. and (compile or bind or optimize or convert or converting or convert\$5 or generate\$5 or transform\$5 or translate\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 12:16
S67	2	"6339772".pn. and (compile or bind or optimize or convert or converting or convert\$5 or generate\$5 or transform\$5 or translate\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 12:14
S62	143	S61 and database\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 09:33

S61	209	S60 and parameter\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 09:33
S58	5	bind?in and bind?out	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 09:32
S57	2	"6363371".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 17:37
S56	6	"347994".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 16:43
S55	8	"347995".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 16:42
S54	6	"347996".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 16:41
S53	3	"347998".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 16:41
S52	8	"915868".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 16:40
S51	2	"6185556".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 16:22
S50	1	"6185556".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 16:19
S49	2	"6339772".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 16:19

S46	6	("0029211"   "6185556"   "6339772").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 16:18
S48	1	"6314562".pn. and (parameter or binding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 15:47
S47	1	"6745384".pn. and (parameter or binding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 15:47
S45	52	S44 and (parameter adj binding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 15:45
S43	1807	parameter\$1 near2 binding	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 15:23

10/10/2008 12:46:01 PM

C:\Documents and Settings\dmyint\My Documents\EAST\Workspaces\10-676-800\_\_1.w.sp